


Technical sheet :

MT 1135 EASY ST5




MT1135Easy ST5	
作業能力	
定格荷重	3500kg
最大作業高さ	11.05m
最大作業半径	7.75m
最大掘起力	6400daN
重量と寸法	
l11-全長（フォーク付け根まで）	5.37m
b1-全幅	2.28m
h17-全高	2.42m
y-ホイールベース	2.88m
m4-グランドクリアランス	0.42m
b4-キャブ幅	0.88m
a4-フォークの角度（上）	12°
a5-フォークの角度（下）	110°
Wa1-最小回転半径外輪	3.65m
車輛総重量	8870kg
タイヤ	空気圧式（チュープタイプ）
スタンダードタイヤ	Alliance400/80-24-162A8
フォーク(長さ×幅×厚さ)	1200mm×125mm×45mm
作業速度	
リフト上	8.5s
リフト下	7s
伸縮（伸）	13s
伸縮（縮）	9s
チルト（上）	5s
チルト（下）	3.8s
エンジン	
メーカー	Deutz
環境基準	欧州排ガス規制5次適合
型式	TD3.6L
シリンダー	4-3621cm ³
定格出力	75HP/55.4KW
最大トルク	330Nm/m @1600tr/min
牽引力	8000daN
トランスミッション	
変速装置	トルクコンバーター
変速段数（前方/後方）	4/4
走行スピード	25km/h
パーキングブレーキ	自動パーキングブレーキ
制動ブレーキ	油圧式湿式多板ディスクタイプ
油圧システム	
油圧ポンプ	ギアポンプ
油圧システム/設定圧	125 l/min/270Bar
タンク容量	
エンジンオイル	10 l
作動油	140l
燃料	120l
騒音と振動	
走行時の騒音レベル（LpA）	78dB(A)
音響パワーレベル（LwA）	103dB(A)
振動加速度（手・腕）	<2.5m/s
その他	
操舵輪（前・後）	2/2
駆動輪（前・後）	2/2
安全装置	過負荷防止装置EN15000/Cab ROPS-FOPSL ^{Level} 2
操作機構	JSM

寸法図





作業半径図

フォーク(TFF35MT)
アウトリガー未使用時
Ref.788793



フォーク(TFF35MT)
アウトリガー使用時
Ref.788793





Siège Social
430 rue de l'Aubinière - 44150 Ancenis Cedex - France
Tel: +33(0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97
www.manitou.com



This brochure describes versions and configuration options for Manitou products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Manitou reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Manitou dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Manitou and may not be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508
RCS Nantes