


Technical sheet :

MT 1335




作業能力	
定格荷重	3500kg
最大作業高さ	12.55m
最大作業半径	8.75m
最大掘起力	5803daN
重量と寸法	
l11-全長（フォーク付け根まで）	5.86m
b1-全幅	2.21m
h17-全高	2.42m
y-ホイールベース	2.88m
m4-グラウンドクリアランス	0.41m
b4-キャブ幅	0.88m
a4-フォークの角度（上）	12°
a5-フォークの角度（下）	114°
Wa1-最小回転半径外輪	3.65m
車輛総重量	9300kg
タイヤ	空気圧式（チューブタイプ）
スタンダードタイヤ	Alliance400/80-24-162A8
フォーク(長さ×幅×厚さ)	1200mm×125mm×45mm
作業速度	
リフト上	10.2s
リフト下	8.9s
伸縮（伸）	14.6s
伸縮（縮）	10.4s
チルト（上）	5s
チルト（下）	4s
エンジン	
メーカー	Perkins
環境基準	欧州排ガス規制4次適合
型式	854E-34TA
シリンダー	4-3400cm ³
定格出力	100HP/75KW
最大トルク	430Nm/m @1400tr/min
牽引力	9800daN
トランスミッション	
変速装置	トルクコンバーター
変速段数（前方/後方）	4/4
走行スピード	25km/h
パーキングブレーキ	自動パーキングブレーキ
制動ブレーキ	油圧式湿式多板ディスクタイプ
油圧システム	
油圧ポンプ	ギアポンプ
油圧システム/設定圧	125 l/min/270Bar
タンク容量	
エンジンオイル	7.5l
作動油	140l
燃料	120l
アドブルー尿素	12 l
騒音と振動	
走行時の騒音レベル（LpA）	78dB(A)
音響パワーレベル（LwA）	103dB(A)
振動加速度（手・腕）	<2.5m/s
その他	
操舵輪（前・後）	2/2
駆動輪（前・後）	2/2
安全装置	過負荷防止装置EN15000/Cab ROPS-FOPSLevel2
操作機構	JSM

寸法図





作業半径図

フォーク(TFF35MT)
アウトリガー使用時
Ref.788793



フォーク(TFF35MT)
アウトリガー未使用時
Ref.788793





Siège Social

430 rue de l'Aubinière - 44150 Ancenis Cedex - France

Tel: +33(0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97

www.manitou.com



This brochure describes versions and configuration options for Manitou products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Manitou reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Manitou dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Manitou and may not be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508
RCS Nantes