


Technical sheet :

MT 1440 EASY ST5




作業能力	
定格荷重	4000kg
最大作業高さ	13.53m
最大作業半径	9.46m
最大掘起力	7400daN
重量と寸法	
l11-全長 (フォーク付け根まで)	6.13m
b1-全幅	2.36m
h17-全高	2.45m
y-ホイールベース	3.07m
m4-グラウンドクリアランス	0.37m
b4-キャブ幅	0.89m
a4-フォークの角度 (上)	12°
a5-フォークの角度 (下)	114°
Wa1-最小回転半径外輪	3.94m
車輛総重量 (フォーク仕様)	10855kg
タイヤ	空気圧式 (チューブタイプ)
スタンダードタイヤ	Alliance 400/80-24-162A8
フォーク(長さ×幅×厚さ)	1200mm×125mm×50mm
作業速度	
リフト上	16s
リフト下	12.4s
伸縮 (伸)	17.3s
伸縮 (縮)	13s
チルト (上)	4s
チルト (下)	4s
エンジン	
メーカー	Deutz
環境基準	欧州排ガス規制5次適合
型式	TD3.6L
シリンダー	4気筒-3621cm ³
定格出力	75HP/55.4kW
最大トルク	340Nm @1600tr/min
牽引力	8320daN
トランスミッション	
変速装置	トルクコンバーター
変速段数 (前方/後方)	4/4
走行スピード	25.6km/h
パーキングブレーキ	自動パーキングブレーキ
制動ブレーキ	油圧式湿式多板ディスクタイプ
油圧システム	
油圧ポンプ	ギアポンプ
油圧システム/設定圧	160 l/min/270Bar
タンク容量	
エンジンオイル	10 l
作動油	135 l
燃料	140 l
騒音と振動	
走行時の騒音レベル (LpA)	79dB(A)
音響パワーレベル (LwA)	102dB(A)
振動加速度 (手・腕)	2.5Nm
その他	
操舵輪 (前・後)	2/2
駆動輪 (前・後)	2/2
安全装置	過負荷防止装置EN15000/Cab ROPS-FOPSLLevel2
操作機構	JSM

寸法図





作業半径図

アウトリガー使用時 フォーク
PFB45N1260
Ref.415652



アウトリガー未使用時 フォーク
PFB45N1260
Ref.415652





Siège Social
430 rue de l'Aubinière - 44150 Ancenis Cedex - France
Tel: +33(0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97
www.manitou.com



This brochure describes versions and configuration options for Manitou products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Manitou reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Manitou dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Manitou and may not be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508
RCS Nantes