

Technical sheet :

MT 1840 EASY ST5



作業能力

定格荷重
最大作業高さ
最大作業半径
最大掘起力

重量と寸法

l11-全長（フォーク付け根まで）
b1-全幅
h17-全高
y-ホイールベース
m4-グラウンドクリアランス
b4-キャブ幅
a4-フォークの角度（上）
a5-フォークの角度（下）
Wa1-最小回転半径外輪
車輛総重量（フォーク仕様）
タイヤ
スタンダードタイヤ
フォーク(長さ×幅×厚さ)

作業速度

リフト上
リフト下
伸縮（伸）
伸縮（縮）
チルト（上）
チルト（下）

エンジン

メーカー
環境基準
型式
シリンダー
定格出力
最大トルク
牽引力

トランスミッション

変速装置
変速段数（前方/後方）
走行スピード
パーキングブレーキ
制動ブレーキ

油圧システム

油圧ポンプ
油圧システム/設定圧

タンク容量

エンジンオイル
作動油
燃料

騒音と振動

走行時の騒音レベル（LpA）
音響パワーレベル（LwA）
振動加速度（手・腕）

その他

操舵輪（前・後）
駆動輪（前・後）
安全装置
操作機構

4000kg
17.55m
13.08m
7400daN

6.27m
2.36m
2.45m
3.07m
0.37m
0.89m
16°
110°
3.94m
11710kg
空気圧式（チューブタイプ）
Alliance 400/80-24-162A8
1200mm×125mm×45mm

17.5s
12s
16.5s
16.6s
4.8s
4.2s

Deutz
欧州排ガス規制5次適合
TD3.6L
4気筒-3621cm ³
75HP/55.4kW
340Nm @1600tr/min
8320daN

トルクコンバーター
4/4
24.9km/h
自動パーキングブレーキ
油圧式湿式多板ディスクタイプ


ギアポンプ
170 l/min/270Bar

10 l
135 l
140 l

79dB(A)
102dB(A)
2.5Nm


2/2
2/2
過負荷防止装置EN15000/Cab ROPS-FOPSLevel2

寸法図





作業半径図

アウトリガー使用時 フォーク
PFB45N1260
Ref.415652



アウトリガー未使用時 フォーク
PFB45N1260
Ref.415652





Siège Social
430 rue de l'Aubinière - 44150 Ancenis Cedex - France
Tel: +33(0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97
www.manitou.com



This brochure describes versions and configuration options for Manitou products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Manitou reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Manitou dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Manitou and may not be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508
RCS Nantes