

Technical sheet :

MHT 10130



作業能力

定格荷重
荷重中心
最大作業高さ
最大作業半径

13000kg
600mm
9.65m
5.17m

重量と寸法

車輛総重量（フォーク仕様）
m4-グランドクリアランス
y-ホイールベース
b1-全幅
h17-全高
b4-キャブ幅
a5-フォークの角度（下）
a4-フォークの角度（上）
wa1-最小回転半径外輪
フォーク(長さ×幅×厚さ)

18490kg
0.44m
3.37m
2.51m
2.99m
0.93m
117°
18°
5.34m
1200mm×200mm×70mm

タイヤ

種類/サイズ
数量（前/後）
操舵輪（前・後）
駆動輪（前・後）
ステアリングモード

Aeolus-A2233-17.5R25
2/2
2/2
2/2
4輪駆動-3ステアリングモード

エンジン

メーカー
環境基準
型式
シリンダー
最大出力
最大トルク
エンジン冷却装置
バッテリー数
バッテリー電圧/蓄電容量
牽引力

Mercedes
欧州排ガス規制4次適合
OM934LA.E4-3
4気筒-5100cm ³
176HP/129kW
750Nm@1600tr/min
水冷式
2
12V/120Ah
10800daN

トランスミッション

変速装置
変速段数（前方/後方）
走行スピード
パーキングブレーキ
制動ブレーキ
登坂能力

ハイドロスタティック
2/2
31km/h
自動パーキングブレーキ
油圧式湿式多板ディスクタイプ
34%

油圧システム

油圧ポンプ
油圧システム/設定圧

可変ポンプ
180l/min-300Bar

タンク容量

エンジンオイル
作動油
燃料
アドブルー尿素

21l
290l
315l
63l

騒音と振動

走行時の騒音レベル（LpA）
音響パワーレベル（LwA）
振動加速度（手・腕）


80dB(A)
107dB(A)
2.5Nm

その他

安全装置
操作機構


Cab ROPS-FOPSLLevel2
JSM

寸法図




作業半径図


フォークLC 1200 mm
TFF13t
Ref.53005668




ジブ
P13T
Ref.53009841



高所作業車用 Gondola
365kg:SPE4400/365 Ref.939241
1000kg:SPE4400/1000D Ref.939242





Siège Social
430 rue de l'Aubinière - 44150 Ancenis Cedex - France
Tel: +33(0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97
www.manitou.com



This brochure describes versions and configuration options for Manitou products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Manitou reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Manitou dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Manitou and may not be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508
RCS Nantes